

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/862,458	05/23/2001	Masahiko Tanaka	001425-104	7476
21839	7590 03/21/2005		EXAMINER	
BURNS DOANE SWECKER & MATHIS L L P			MOORE, KARLA A	
	CE BOX 1404 RIA, VA 22313-1404		ART UNIT	PAPER NUMBER
	,		1763	
			DATE MAILED: 03/21/2009	5

Please find below and/or attached an Office communication concerning this application or proceeding.

				_
•		Application No.	Applicant(s)	_
Office Action Summary		09/862,458	TANAKA ET AL.	
		Examiner	Art Unit	
		Karla Moore	1763	
The MAI Period for Reply	LING DATE of this communication ap	pears on the cover sheet with the c	orrespondence address	
THE MAILING - Extensions of time after SIX (6) MONT - If the period for rep - If NO period for rep - Failure to reply with Any reply received	D STATUTORY PERIOD FOR REPL DATE OF THIS COMMUNICATION. may be available under the provisions of 37 CFR 1.1 THS from the mailing date of this communication. By specified above is less than thirty (30) days, a repily is specified above, the maximum statutory period in the set or extended period for reply will, by statute by the Office later than three months after the mailin adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tin ly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed rs will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
2a)⊠ This action 3)□ Since this	ve to communication(s) filed on <u>03 January</u> on is FINAL . 2b) This application is in condition for allowant accordance with the practice under t	s action is non-final. nce except for formal matters, pro		
Disposition of Cla	ims			
4a) Of the 5) ⊠ Claim(s) . 6) ⊠ Claim(s) . 7) ⊠ Claim(s) .	1-28 is/are pending in the application above claim(s) is/are withdra 2 and 6 is/are allowed. 1,4,5,8-11,14-17,20-24 and 26-28 is/3,7,12,13,18,19 and 25 is/are objected are subject to restriction and/o	wn from consideration. are rejected. ed to.		,
Application Paper	S		,	
10) The drawi Applicant r	fication is objected to by the Examine ng(s) filed on is/are: a) accomay not request that any objection to the ent drawing sheet(s) including the corrector declaration is objected to by the Example.	epted or b) objected to by the liderawing(s) be held in abeyance. See tion is required if the drawing(s) is objected.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).	
Priority under 35 l	J.S.C. § 119			
12) Acknowled a) All b) 1. Cel 2. Cel 3. Col app	dgment is made of a claim for foreign Some * c) None of: rtified copies of the priority document of the copies of the priority document of the certified copies of the priority document of the priority doc	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on Noed in this National Stage	
Attachment(s) 1) Notice of Referen	ces Cited (PTO-892)	4) ☐ Interview Summary	(PTO-413)	•
	rson's Patent Drawing Review (PTO-948) sure Statement(s) (PTO-1449 or PTO/SB/08) Date	Paper No(s)/Mail Da		

Application/Control Number: 09/862,458

Art Unit: 1763

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4-5, 8-9, 14-15, 20-24, 26-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Japanese Patent No. 11-168094A to Yuda in view of U.S. Patent No. 6,086,677 to Umotoy et al. and U.S. Patent No. 5,102,523 to Beisswenger et al.
- 3. Yuda et al. disclose the invention substantially as claimed in Figure 1 and comprising: a vacuum reaction chamber (Figure 1, 16) and a electrically conducting dividing plate/dividing means (Figures 8-10, 26; paragraph 43 of JPO online translation), the vacuum reaction chamber is divided into a plasma discharge space (Figure 8, above the plate) and a film deposition process space (Figure 8, below the plate), the dividing plate having a plurality of internal spaces (27) and a plurality of holes (30) therein, the internal spaces are connected with the film deposition process space, the plurality of holes connect the plasma discharge space with the film deposition process space, and a plasma is used to generate radicals in the plasma discharge space, which radicals are introduced into the said film deposition process space through the plurality of holes in the dividing plate, and a precursor gas (9) is directly introduced into the film deposition process space react together to deposit a film (4) on a substrate (3) disposed in the film deposition process space, the dividing plate is constructed so as to separate the radicals generated in the plasma discharge space from the precursor gas while the precursor gas is in the internal spaces.
- 4. However, Yuda et al. fail to teach the dividing plate is made of a plurality of plates connected together by securely bonding them over substantially an entire area of their interfacial surfaces.

Application/Control Number: 09/862,458 Page 3

Art Unit: 1763

5. Umotoy et al. teach using a plurality of plates as a way to maintain gases in separate passages of a distribution plate until they exit the distribution plate into the process region (column 1, row 64 through column 2, row 5). Umotoy et al. further teach fusing together a plurality of laminated plates at their contacting surfaces for the purpose of avoiding the use of o-rings while maintaining separation of gases as gases transition from the upper plate to the lower plate (column 3, rows 33-44 and column 5, rows 5-15). Also see column 7, rows 40-47.

- 6. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided a plurality of laminated plates fused together at their contacting surfaces in Yuda et al. in order to maintain gases in separate passageways until they exit the distribution plate into the process region and in order to avoid the use of o-rings while maintaining a separation of gases as the gases transition form an upper plate to a lower plate as taught by Umotoy et al.
- 7. Yuda et al. and Umotoy et al. disclose the invention substantially as claimed and described above.
- 8. However, Yuda et al. and Umotoy et al. fail to teach the dividing plate is arranged in the vacuum reaction chamber such that the only communication between the plasma discharge space and the film deposition process space is through the plurality of holes.
- 9. Beisswengerf et al. teach a dividing plate and accompanying seals (Figure 1, 65 and 66) to seal te dividing plat and adjacent spaces within a vacuum chamber for the purpose of preventing gases from escaping upwards (column 4, rows 57-62).
- 10. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided seals for arranging the dividing plate such that the only communication between the plasma discharge space and the film deposition process space is through the plurality of holes in Yuda et al. and Umotoy et al. in order to prevent gases from escaping upwards as taught by Beisswenger et al.
- 11. With respect to claims 4, 14, 20, 22-23 and 26, as noted above, the dividing plate is made by connecting together a plurality of laminated plates by securely bonding them ever the entire area of their interfacial surfaces (this includes the outer periphery and portions that are within the outer periphery, as

Art Unit: 1763

recited in claim 9). Additionally, the plurality of holes provided in the dividing plate is formed by piercing through it at positions where the internal spaces are not disposed (i.e. they do not overlap).

- 12. With respect to claims 5, 8 and 27, Yuda et al. and Umotoy et al. disclose the invention substantially as claimed and as described above.
- 13. However, Yuda et al. and Umotoy et al. fail to teach a plurality of holes formed to satisfy the condition uL/D>1, where u is the gas flow rate inside the holes, L is the effective length of the holes and D is the diffusion coefficient.
- 14. Umotoy et al. teach that the choice of hole size for each gas is purely a process condition and as such, hole size will depend on gas flow rate, gas pressure, gas type, chamber pressure and the like (column 5, rows 57-63).
- 15. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to find an optimum gas hole configuration in Yuda et al. and Umotoy et al. based on conditions of each individual process as taught by Umotoy et al.
- 16. Further, the courts have ruled where the general conditions of a claim are disclosed by the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 2235 (CCPA 1955).
- 17. With respect to claims 9, 15, 21, 24, Yuda et al. teach that the dividing plate is an electrode, so it would inherently be made of electrically conductive material.
- 18. With respect to claim 28, as noted above, the dividing plate of Yuda et al. comprises a plurality of internal spaces.
- 19. Claims 10-11 and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yuda et al. and Umotoy et al. as applied to claims 1, 4-5, 8-9, 14-15, 20-24 and 26-28 above, and in view of U.S. Patent No. 5,433,786 to Hu et al.

20. Yuda et al. and Umotoy et al. disclose the invention substantially as claimed and as described above.

- 21. However, Yuda et al. and Umotoy et al. fail to teach the plurality of plates bonded together by a plurality of rivets or threaded fasteners.
- 22. Hu et al. teach the use of rivets and other suitable fastening means for the purpose of assembling an electrode (column 3, rows 53-56).
- 23. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided rivets or other suitable fastening means in Yuda et al. and Umotoy et al. in order to assemble the dividing plate/electrode as taught by Hu et al. Further, the courts have ruled that an express suggestion to substitute one equivalent component or process for another is not necessary to render such substitution obvious. In re Fout, 675 F.2d 297, 213 USPQ 532 (CCPA 1982).

Allowable Subject Matter

- 24. Claims 2 and 6 are allowed.
- 25. The following is an examiner's statement of reasons for allowance: The prior art presented above fails to teach or fairly suggest a plurality of metal fixings (either rivets or threaded parts) to securely bond the laminated plates over the entire area of their interfacial surfaces, and the plurality of holes provided in the dividing plate are provided through the metal fixings. Additionally, no other prior art reference provides motivation for the feature.
- 26. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 27. Claims 3, 7, 12-13, 18-19 and 25 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 28. The prior art presented above fails to teach or fairly suggest a plurality of metal fixings (either rivets or threaded parts) to securely bond the laminated plates over the entire area of their interfacial

Application/Control Number: 09/862,458

Art Unit: 1763

surfaces, and the plurality of holes provided in the dividing plate are provided through the metal fixings.

As noted above, no other prior art reference provides motivation for the feature.

Response to Arguments

29. Applicant's arguments presented in submissions filed on 01/03/05 with respect to claims 1, 3-5

and 7-28 have been considered but are moot in view of the new ground(s) of rejection. Beisswenger et

al. has been used in the rejections to address the newly added recitations regarding the communicational

arrangement between the plasma discharge space and the film deposition process space.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of

the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from

the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date

of this final action and the advisory action is not mailed until after the end of the THREE-MONTH

shortened statutory period, then the shortened statutory period will expire on the date the advisory action

is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX

MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should

be directed to Karla Moore whose telephone number is 571.272.1440. The examiner can normally be

reached on Monday-Friday, 8:30am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Parviz Hassanzadeh can be reached on 571.272.1435. The fax phone number for the organization

where this application or proceeding is assigned is 703-872-9306.

Page 7

Application/Control Number: 09/862,458

Art Unit: 1763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

km

9 March 2005

Parviz Hassanzadeh

Supervisory Patent Examiner

P. Hanengedt

Art Unit 1763